


Cabinets



Floor Cabinets	26
Cabinet Accessories	27-31
Wall Cabinets	32



600*600 Cabinets

25u	CNN-CAB256060
33u	CNN-CAB336060
42u	CNN-CAB426060
47u	CNN-CAB476060

600*800 Cabinets

25u	CNN-CAB256080
33u	CNN-CAB336080
42u	CNN-CAB426080
47u	CNN-CAB476080

800*600 Cabinets

25u	CNN-CAB258060
33u	CNN-CAB338060
42u	CNN-CAB428060
47u	CNN-CAB478060

800*800 Cabinets

25u	CNN-CAB258080
33u	CNN-CAB338080
42u	CNN-CAB428080
47u	CNN-CAB478080

600*1000 Cabinets

25u	CNN-CAB256099
33u	CNN-CAB336099
42u	CNN-CAB426099
47u	CNN-CAB476099

800*1000 Cabinets

25u	CNN-CAB258099
33u	CNN-CAB338099
42u	CNN-CAB428099
47u	CNN-CAB478099

- Modern stylish appearance
- Rigid steel frame construction - able to be taken apart and rebuilt for future relocations if necessary
- Four 19" fully adjustable mounting posts
- 2 plain steel lockable side panels
- Vented framed glass, full height lockable and removable front door with either left or right handed opening
- Vented framed plain, full height lockable rear door with either left or right handed opening (for depths up to 800mm) perforated rear door for 1 meter deep cabinets.
- Load rating: 800Kg (when cabinet situated directly on floor - no castors/feet)
- Available in 25U, 33U, 42U, 45U, 47U Heights (1U = 44.45mm)
- 600mm and 800mm widths
- 600mm, 800mm and 1000mm depths
- Full range of compatible accessories including Cannon's 'Quick Fit' accessories*




Cannon

Cabinet Accessories

450mm Telescopic Quick-Fit Shelf
550mm Telescopic Quick-Fit Shelf
600mm Telescopic Quick-Fit Shelf

CNN-775B02604500
 CNN-775B02605500
 CNN-775B02606000




Cabinets

Cannon

Cabinet Accessories

450mm Quick-Fit Shelf
550mm Quick-Fit Shelf
600mm Quick-Fit Shelf

CNN-775B00604500
 CNN-775B00605500
 CNN-775B00606000



Cabinets

Cannon

Cabinet Accessories

2u 250mm Quick-Fit Cantilever Shelf
2u 350mm Quick-Fit Cantilever Shelf
2u 400mm Quick-Fit Cantilever Shelf
2u 500mm Quick-Fit Cantilever Shelf

CNN-701C02602500
 CNN-701C02603500
 CNN-701C02604000
 CNN-701C02605000




Cabinets

Cannon

Cabinet Accessories

800mm Depth Adapting Shelf
1000mm Depth Adapting Shelf

CNN-535B01607601
 CNN-535B01609601



Cabinets

Cabinets

* All orders received before 4.30pm despatched for next working day delivery

Cannon

Cabinet Accessories

Locking Heavy Duty Castors (Set of 4)
Levelling Feet for use with Castors
Levelling Feet for use without Castors

CNN-CA002
 CNN-CA010
 CNN-CA011



Cabinets

Cannon

Cabinet Accessories

600mm *600mm Plinth
600mm *800mm Plinth
600mm *1000mm Plinth
800mm *800mm Plinth
800mm *1000mm Plinth

CNN-335B02606005
 CNN-335B02608005
 CNN-335B02609905
 CNN-335B02808005
 CNN-335B02809905



Cabinets

Cannon

Cabinet Accessories

2 Way Quick-Change Fan Tray
4 Way Quick-Change Fan Tray

CNN-705E01510202
 CNN-705E01510402



Cabinets

Cannon

Cabinet Accessories

Earth Bonding Kit (4 Wire)
Cage Nuts (Pack of 50)
Baying Kit (Set of 4)

CNN-KP0223
 CNN-KP0236
 EA-CNS#



Cabinets

Dublin Tel:- 353 1 866 0444 (24 Hours / 7 Days)
 Cork Tel:- 353 21 432 1900
 Limerick Tel:- 353 61 211 099

www.kedington.ie

Cabinet Accessories

1u 4 Ring Cable Management Panel

CM-PANEL1U

2u 4 Ring Cable Management Panel

CM-PANEL2U



Cabinet Accessories

1u Blanking Panel

grey 11977 black 11977B

2u Blanking Panel

grey 11978 black 11978B



Wall Bracket

2u Wall Bracket

25239

3u Wall Bracket

25240

4u Wall Bracket

25241

5u Wall Bracket

25242



Cabinet Accessories

1u 19" Brush Panel

501802



Cabinets

* All orders received before 4.30pm despatched for next working day delivery

60mm Quick-Fit Management Ring
90mm Quick-Fit Management Ring

CNN-711C00090600

CNN-711C00090900



Cabinets

RAfT 600*600
RAfT 800*600
RAfT Floor Stringer Fixing
RAfT Diaphragm

CNN-435B02606010

CNN-435B02806010

CNN-307C12126003


CNN-985B00606400

RAfT System

- No more messy tile cutting
- A specially engineered steel frame which fits in place of 600 * 600mm raised access floor tiles and raises the cabinet base above the floor surface
- Maximum cable access to under floor void
- RAfT depth (front – rear) is 600mm, cabinets of greater depth overlap equally front and rear
- RAfT width match Cannon SmartCab widths of 600 and 800mm
- Can be clamped to floor stringers for increased stability or tied to floor substrate
- Adjacent tiles can be still lifted due to raised level of cabinet base
- Optional in-cabinet fire resistant diaphragm controls air flow, reducing the flow of costly air-conditioning through passive equipment cabinets and prevents objects dropping into the under floor void. Will adjust to any cable bundle size or position
- Fixing for pedestals and stringers available
- Optional brackets and clamps available to suit most types of raised floor

Material and finish

Steel – Powder painted Dusty Grey to Ral 7037



Cabinets

Dublin Tel:- 353 1 866 0444 (24 Hours / 7 Days)

Cork Tel:- 353 21 432 1900

Limerick Tel:- 353 61 211 099

www.kedington.ie

Horizontal and Vertical Power Distribution

UK BS1363

501062 = 4 way horizontal switched
 501092 = 5 way horizontal switched
 501087 = 6 way horizontal switched

501056 = 4 way vertical switched
 501816 = 5 way vertical switched
 501057 = 6 way vertical switched
 501058 = 8 way vertical switched
 501059 = 10 way vertical switched
 501060 = 12 way vertical switched

IEC320

IECPDU-H8 = 8 way horizontal IEC PDU
 IEC PDU-H10 = 10 way horizontal IEC PDU
 IEC PDU-H12 = 12 way horizontal IEC PDU
 IEC PDU-H16 = 16 way horizontal IEC PDU

IECPDU-V8 = 8 way vertical IEC PDU
 IEC PDU-V10 = 10 way vertical IEC PDU
 IEC PDU-V12 = 12 way vertical IEC PDU
 IEC PDU-V16 = 16 way vertical IEC PDU
 IEC PDU-V20 = 20 way vertical IEC PDU
 IEC PDU-V40 = 40 way vertical IEC PDU

Unswitched and IEC versions available
 POA



Slimline 1u power distribution units are designed with quality in mind. Each socket is flush screw mounted for extra strength and security. You can now also design and build your own PDU to your desired specification, additional features are now available to order which include:

- 16 amp & 32 amp commando plug leads (any length)
- C19 & C20 16amp IEC
- Digital ammeters
- RCB
- MCBO
- 10 amp & 16amp RFI filter & surge protection

Cabinets

6u 400mm WallCab	CNN-WCAB580A06604020
9u 400mm WallCab	CNN-WCAB580A09604020
12u 400mm WallCab	CNN-WCAB580A12604020
15u 400mm WallCab	CNN-WCAB580A15604020
18u 400mm WallCab	CNN-WCAB580A18604020
6u 550mm WallCab	CNN-WCAB580A06605520
9u 550mm WallCab	CNN-WCAB580A09605520
12u 550mm WallCab	CNN-WCAB580A12605520
15u 550mm WallCab	CNN-WCAB580A15605520
18u 550mm WallCab	CNN-WCAB580A18605520
6u 2 Section 500mm WallCab	CNN-WCAB550A06605020
9u 2 Section 500mm WallCab	CNN-WCAB550A09605020
12u 2 Section 500mm WallCab	CNN-WCAB550A12605020
15u 2 Section 500mm WallCab	CNN-WCAB550A15605020
18u 2 Section 500mm WallCab	CNN-WCAB550A18605020

Cannon 3000 Series WallCab

- Glass door, Steel door or Perforated door options available
- 600mm wide = standard 19" mounting (600mm nominal - actual width 516mm)
- Five heights available: 9U, 12U, 15U, 18U and 21U (1U = 44.45mm)
- Depth: 400mm nominal to door (actual depth 425mm) Also available is 550mm nominal to door (actual overall 575mm) Other depths available to order.
- Maximum load capacity is 40Kg subject to fixings and wall conditions
- Fixings depend on wall construction and are therefore, not included
- Also available in hinged two part wallCab, with overall depth of 500mm

